MIKALOR



W1

P-Clip W1 - Form D DIN 3016

DIN 3016 Rubber lined P-Clips are manufactured from steel strips lined with EPDM rubber. This rubber liner ensures a safe tight-fitting assembly, protects the application area and prevent possible damage caused by vibration. The screw holes are reinforced with metal plates to guarantee a solid grip. P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.


12 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGD4/12	03003848	4	12	0,5	1,5	5,3	1,2	15	500	500
AGD5/12	03003856	5	12	0,5	1,5	5,3	1,2	15	500	500
AGD6/12	03003864	6	12	0,5	1,5	5,3	1,2	15	500	500
AGD7/12	03003872	7	12	0,5	1,5	5,3	1,2	15	500	500
AGD8/12	03003880	8	12	0,5	1,5	5,3	1,2	15	500	500
AGD9/12	03003899	9	12	0,5	1,5	5,3	1,2	15	500	500
AGD10/12	03003901	10	12	0,5	1,5	5,3	1,2	15	500	500
AGD11/12	03003910	11	12	0,5	1,5	5,3	1,2	15	500	500
AGD12/12	03003928	12	12	0,5	1,5	5,3	1,2	15	500	500
AGD13/12	03003936	13	12	0,5	1,5	5,3	1,2	15	500	500
AGD14/12	03003944	14	12	0,5	1,5	5,3	1,2	15	500	500
AGD15/12	03003952	15	12	0,5	1,5	5,3	1,2	15	500	500
AGD16/12	03003960	16	12	0,5	1,5	5,3	1,2	15	200	200
AGD17/12	03003979	17	12	0,5	1,5	5,3	1,2	15	200	200
AGD18/12	03003987	18	12	0,5	1,5	5,3	1,2	15	200	200
AGD19/12	03003995	19	12	0,5	1,5	5,3	1,2	15	200	200
AGD20/12	03004007	20	12	0,5	1,5	5,3	1,2	15	200	200
AGD21/12	03004015	21	12	0,5	1,5	5,3	1,2	15	200	200
AGD22/12	03004023	22	12	0,5	1,5	5,3	1,2	15	200	200
AGD23/12	03004031	23	12	0,5	1,5	5,3	1,2	15	200	200
AGD24/12	03004040	24	12	0,5	1,5	5,3	1,2	15	200	200
AGD25/12	03004058	25	12	0,5	1,5	5,3	1,2	15	200	200
AGD26/12	03004066	26	12	0,5	1,5	5,3	1,2	15	200	200
AGD27/12	03004074	27	12	0,5	1,5	5,3	1,2	15	200	200
AGD28/12	03004082	28	12	0,5	1,5	5,3	1,2	15	200	200
AGD29/12	03004090	29	12	0,5	1,5	5,3	1,2	15	200	200
AGD30/12	03004103	30	12	0,5	1,5	5,3	1,2	15	100	100
AGD31/12	03004111	31	12	0,5	1,5	5,3	1,2	15	100	100
AGD32/12	03004120	32	12	0,5	1,5	5,3	1,2	15	100	100
AGD33/12	03004138	33	12	0,5	1,5	5,3	1,2	15	100	100
AGD34/12	03004146	34	12	0,5	1,5	5,3	1,2	15	100	100
AGD35/12	03004154	35	12	0,5	1,5	5,3	1,2	15	100	100
AGD36/12	03004162	36	12	0,5	1,5	5,3	1,2	15	100	100
AGD 37/12	03004170	37	12	0,5	1,5	5,3	1,2	15	100	100
AGD 38/12	03004189	38	12	0,5	1,5	5,3	1,2	15	100	100
AGD 39/12	03004197	39	12	0,5	1,5	5,3	1,2	15	100	100


MIKALOR

OTHER MODELS CAN BE MANUFACTURED ACCORDING TO SHAPE:


Form A - **APA**



Form B - **APB**




Form C - **APC**




Without EPDM rubber sheath

Form E- **AGE**



Form F- **AGF**



EPDM rubber sheath

12 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGD 40/12	03004200	40	12	0,5	1,5	5,3	1,2	15	100	100
AGD 41/12	03004218	41	12	0,5	1,5	5,3	1,2	15	100	100
AGD 42/12	03004226	42	12	0,5	1,5	5,3	1,2	15	100	100
AGD 43/12	03004234	43	12	0,5	1,5	5,3	1,2	15	50	50
AGD 44/12	03004242	44	12	0,5	1,5	5,3	1,2	15	50	50
AGD 45/12	03004250	45	12	0,5	1,5	5,3	1,2	15	50	50
AGD 46/12	03004269	46	12	0,5	1,5	5,3	1,2	15	50	50
AGD 47/12	03004277	47	12	0,5	1,5	5,3	1,2	15	50	50
AGD 48/12	03004285	48	12	0,5	1,5	5,3	1,2	15	50	50
AGD 49/12	03004293	49	12	0,5	1,5	5,3	1,2	15	50	50
AGD 50/12	03004306	50	12	0,5	1,5	5,3	1,2	15	100	100
AGD 51/12	03004314	51	12	0,5	1,5	5,3	1,2	15	50	50
AGD 52/12	03004322	52	12	0,5	1,5	5,3	1,2	15	50	50
AGD 53/12	03004330	53	12	0,5	1,5	5,3	1,2	15	50	50
AGD 54/12	03004349	54	12	0,5	1,5	5,3	1,2	15	50	50
AGD 55/12	03004357	55	12	0,5	1,5	5,3	1,2	15	50	50
AGD 56/12	03004365	56	12	0,5	1,5	5,3	1,2	15	50	50
AGD 57/12	03004373	57	12	0,5	1,5	5,3	1,2	15	50	50
AGD 58/12	03004381	58	12	0,5	1,5	5,3	1,2	15	50	50
AGD 59/12	03004390	59	12	0,5	1,5	5,3	1,2	15	50	50
AGD 60/12	03004402	60	12	0,5	1,5	5,3	1,2	15	50	50
AGD 61/12	03004410	61	12	0,5	1,5	5,3	1,2	15	50	200
AGD 62/12	03004428	62	12	0,5	1,5	5,3	1,2	15	50	50
AGD 63/12	03004436	63	12	0,5	1,5	5,3	1,2	15	50	50
AGD 64/12	03004444	64	12	0,5	1,5	5,3	1,2	15	50	50
AGD 65/12	03004452	65	12	0,5	1,5	5,3	1,2	15	50	50
AGD 66/12	03004460	66	12	0,5	1,5	5,3	1,2	15	50	50
AGD 67/12	03004479	67	12	0,5	1,5	5,3	1,2	15	50	50
AGD 68/12	03004487	68	12	0,5	1,5	5,3	1,2	15	50	50
AGD 69/12	03004495	69	12	0,5	1,5	5,3	1,2	15	50	50
AGD 70/12	03004509	70	12	0,5	1,5	5,3	1,2	15	50	50
AGD 71/12	03004517	71	12	0,5	1,5	5,3	1,2	15	25	25
AGD 72/12	03004525	72	12	0,5	1,5	5,3	1,2	15	25	25
AGD 73/12	03004533	73	12	0,5	1,5	5,3	1,2	15	25	25
AGD 74/12	03004541	74	12	0,5	1,5	5,3	1,2	15	25	25
AGD 75/12	03004550	75	12	0,5	1,5	5,3	1,2	15	25	25

MIKALOR




W1

P-Clip W1 - Form D DIN 3016


DIN 3016 Rubber lined P-Clips are manufactured from steel strips lined with EPDM rubber. This rubber liner ensures a safe tight-fitting assembly, protects the application area and prevent possible damage caused by vibration. The screw holes are reinforced with metal plates to guarantee a solid grip. P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.


12 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGD 76/12	03004568	76	12	0,5	1,5	5,3	1,2	15	25	25
AGD 77/12	03004576	77	12	0,5	1,5	5,3	1,2	15	25	25
AGD 78/12	03004584	78	12	0,5	1,5	5,3	1,2	15	25	25
AGD 79/12	03004592	79	12	0,5	1,5	5,3	1,2	15	25	25
AGD 80/12	03004605	80	12	0,5	1,5	5,3	1,2	15	25	25
AGD 81/12	03004613	81	12	0,5	1,5	5,3	1,2	15	10	10
AGD 110/12	03004621	110	12	0,5	1,5	5,3	1,2	15	10	10



TECHNICAL INFORMATION	
MATERIAL	Steel W1 DIN 1.0330 or DIN 1.0529
FINISH	Galvanized / Black EPDM Rubber
CORROSION RESISTANCE	144 hours salt spray (ASTM B-117)






Available Through BORSERINI SRL
Via C. Negri 10-12 - 23030 Chiuro (SO) - Italy | +39 0342 209200 | info@borserini.it | www.borserini.com
Registered Office: Via Parolo 38 - 23100 Sondrio (SO) - Italy


MIKALOR

OTHER MODELS CAN BE MANUFACTURED ACCORDING TO SHAPE:


Form A - **APA**



Form B - **APB**




Form C - **APC**




Without EPDM rubber sheath

Form E- **AGE**



Form F- **AGF**



EPDM rubber sheath

15 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGD 5/15	03004656	5	15	0,6	1,6	6,4	1,5	19	500	500
AGD 6/15	03004664	6	15	0,6	1,6	6,4	1,5	19	500	500
AGD 7/15	03004672	7	15	0,6	1,6	6,4	1,5	19	500	500
AGD 8/15	03004680	8	15	0,6	1,6	6,4	1,5	19	500	500
AGD 9/15	03004699	9	15	0,6	1,6	6,4	1,5	19	500	500
AGD 10/15	03004701	10	15	0,6	1,6	6,4	1,5	19	500	500
AGD 11/15	03004710	11	15	0,6	1,6	6,4	1,5	19	250	250
AGD 12/15	03004728	12	15	0,6	1,6	6,4	1,5	19	250	250
AGD 13/15	03004736	13	15	0,6	1,6	6,4	1,5	19	250	250
AGD 14/15	03004744	14	15	0,6	1,6	6,4	1,5	19	250	250
AGD 15/15	03004752	15	15	0,8	1,6	6,4	1,5	19	250	250
AGD 16/15	03004760	16	15	0,8	1,8	6,4	1,5	19	250	250
AGD 17/15	03004779	17	15	0,8	1,8	6,4	1,5	19	250	250
AGD 18/15	03004787	18	15	0,8	1,8	6,4	1,5	19	250	250
AGD 19/15	03004795	19	15	0,8	1,8	6,4	1,5	19	250	250
AGD 20/15	03004808	20	15	0,8	1,8	6,4	1,5	19	100	100
AGD 21/15	03004816	21	15	0,8	1,8	6,4	1,5	19	100	100
AGD 22/15	03004824	22	15	0,8	1,8	6,4	1,5	19	100	100
AGD 23/15	03004832	23	15	0,8	1,8	6,4	1,5	19	100	100
AGD 24/15	03004840	24	15	0,8	1,8	6,4	1,5	19	100	100
AGD 25/15	03004859	25	15	0,8	1,8	6,4	1,5	19	100	100
AGD 26/15	03004867	26	15	0,8	1,8	6,4	1,5	19	100	100
AGD 27/15	03004875	27	15	0,8	1,8	6,4	1,5	19	100	100
AGD 28/15	03004883	28	15	0,8	1,8	6,4	1,5	19	100	100
AGD 29/15	03004891	29	15	0,8	1,8	6,4	1,5	19	100	100
AGD 30/15	03004904	30	15	0,8	1,8	6,4	1,5	19	100	100
AGD 31/15	03004912	31	15	0,8	1,8	6,4	1,5	19	100	100
AGD 32/15	03004920	32	15	0,8	1,8	6,4	1,5	19	100	100
AGD 33/15	03004939	33	15	0,8	1,8	6,4	1,5	19	100	100
AGD 34/15	03004947	34	15	0,8	1,8	6,4	1,5	19	100	100
AGD 35/15	03004955	35	15	0,8	1,8	6,4	1,5	19	100	100
AGD 36/15	03004963	36	15	0,8	1,8	6,4	1,5	19	100	100
AGD 37/15	03004971	37	15	0,8	1,8	6,4	1,5	19	100	100
AGD 38/15	03004980	38	15	0,8	1,8	6,4	1,5	19	100	100
AGD 39/15	03004998	39	15	0,8	1,8	6,4	1,5	19	100	100
AGD 40/15	03005000	40	15	0,8	1,8	6,4	1,5	19	50	50

MIKALOR



W1

P-Clip W1 - Form D DIN 3016

DIN 3016 Rubber lined P-Clips are manufactured from steel strips lined with EPDM rubber. This rubber liner ensures a safe tight-fitting assembly, protects the application area and prevent possible damage caused by vibration. The screw holes are reinforced with metal plates to guarantee a solid grip. P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.


15 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGD 41/15	03005018	41	15	0,8	1,8	6,4	1,5	19	50	50
AGD 42/15	03005026	42	15	0,8	1,8	6,4	1,5	19	50	50
AGD 43/15	03005034	43	15	0,8	1,8	6,4	1,5	19	50	50
AGD 44/15	03005042	44	15	0,8	1,8	6,4	1,5	19	50	50
AGD 45/15	03005050	45	15	0,8	1,8	6,4	1,5	19	50	50
AGD 46/15	03005069	46	15	0,8	1,8	6,4	1,5	19	50	50
AGD 47/15	03005077	47	15	0,8	1,8	6,4	1,5	19	50	50
AGD 48/15	03005085	48	15	0,8	1,8	6,4	1,5	19	50	50
AGD 49/15	03005093	49	15	0,8	1,8	6,4	1,5	19	50	50
AGD 50/15	03005106	50	15	0,8	1,8	6,4	1,5	19	50	50
AGD 51/15	03005114	51	15	0,8	1,8	6,4	1,5	19	50	50
AGD 52/15	03005122	52	15	0,8	1,8	6,4	1,5	19	50	50
AGD 53/15	03005130	53	15	0,8	1,8	6,4	1,5	19	50	50
AGD 54/15	03005149	54	15	0,8	1,8	6,4	1,5	19	50	50
AGD 55/15	03005157	55	15	0,8	1,8	6,4	1,5	19	50	50
AGD 56/15	03005165	56	15	0,8	1,8	6,4	1,5	19	50	50
AGD 57/15	03005173	57	15	0,8	1,8	6,4	1,5	19	50	50
AGD 58/15	03005181	58	15	0,8	1,8	6,4	1,5	19	50	50
AGD 59/15	03005190	59	15	0,8	1,8	6,4	1,5	19	50	50
AGD 60/15	03005202	60	15	0,8	1,8	6,4	1,5	19	50	50
AGD 61/15	03005210	61	15	0,8	1,8	6,4	1,5	19	50	50
AGD 62/15	03005229	62	15	0,8	1,8	6,4	1,5	19	50	50
AGD 63/15	03005237	63	15	0,8	1,8	6,4	1,5	19	50	50
AGD 64/15	03005245	64	15	0,8	1,8	6,4	1,5	19	50	50
AGD 65/15	03005253	65	15	0,8	1,8	6,4	1,5	19	50	50
AGD 66/15	03005261	66	15	0,8	1,8	6,4	1,5	19	50	50
AGD 67/15	03005270	67	15	0,8	1,8	6,4	1,5	19	50	50
AGD 68/15	03005288	68	15	0,8	1,8	6,4	1,5	19	50	50
AGD 69/15	03005296	69	15	0,8	1,8	6,4	1,5	19	50	50
AGD 70/15	03005309	70	15	0,8	1,8	6,4	1,5	19	50	50
AGD 71/15	03005317	71	15	0,8	1,8	6,4	1,5	19	25	25
AGD 72/15	03005325	72	15	0,8	1,8	6,4	1,5	19	25	25
AGD 73/15	03005333	73	15	0,8	1,8	6,4	1,5	19	25	25
AGD 74/15	03005341	74	15	0,8	1,8	6,4	1,5	19	25	25
AGD 75/15	03005350	75	15	0,8	1,8	6,4	1,5	19	50	50
AGD 76/15	03005368	76	15	0,8	1,8	6,4	1,5	19	25	25


MIKALOR

OTHER MODELS CAN BE MANUFACTURED ACCORDING TO SHAPE:


Form A - **APA**



Form B - **APB**




Form C - **APC**




Without EPDM rubber sheath

Form E- **AGE**




Form F- **AGF**




EPDM rubber sheath

15 mm Band


Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGD 77/15	03005376	77	15	0,8	1,8	6,4	1,5	19	25	25
AGD 78/15	03005384	78	15	0,8	1,8	6,4	1,5	19	25	25
AGD 79/15	03005392	79	15	0,8	1,8	6,4	1,5	19	25	25
AGD 80/15	03005405	80	15	0,8	1,8	6,4	1,5	19	25	25
AGD 81/15	03005413	81	15	0,8	1,8	6,4	1,5	19	25	25
AGD 82/15	03005421	82	15	0,8	1,8	6,4	1,5	19	25	25
AGD 83/15	03005430	83	15	0,8	1,8	6,4	1,5	19	25	25
AGD 84/15	03005448	84	15	0,8	1,8	6,4	1,5	19	25	25
AGD 85/15	03005456	85	15	0,8	1,8	6,4	1,5	19	25	25
AGD 86/15	03005464	86	15	0,8	1,8	6,4	1,5	19	25	25
AGD 87/15	03005472	87	15	0,8	1,8	6,4	1,5	19	25	25
AGD 88/15	03005480	88	15	0,8	1,8	6,4	1,5	19	25	25
AGD 89/15	03005499	89	15	0,8	1,8	6,4	1,5	19	25	25
AGD 90/15	03005501	90	15	0,8	1,8	6,4	1,5	19	25	25
AGD 110/15	03007155	110	15	0,8	1,8	6,4	1,5	19	25	25



TECHNICAL INFORMATION	
MATERIAL	Steel W1 DIN 1.0330 or DIN 1.0529
FINISH	Galvanized / Black EPDM Rubber
CORROSION RESISTANCE	144 hours salt spray (ASTM B-117)



(XX = Ø Application d1)



Available Through BORSERINI SRL
Via C. Negri 10-12 - 23030 Chiuro (SO) - Italy | +39 0342 209200 | info@borserini.it | www.borserini.com
Registered Office: Via Parolo 38 - 23100 Sondrio (SO) - Italy

MIKALOR



W1

P-Clip W1 - Form D DIN 3016

DIN 3016 Rubber lined P-Clips are manufactured from steel strips lined with EPDM rubber. This rubber liner ensures a safe tight-fitting assembly, protects the application area and prevent possible damage caused by vibration. The screw holes are reinforced with metal plates to guarantee a solid grip. P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.


20 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGD 8/20	03005507	8	20	0,8	2,3	8,4	2,0	25	250	250
AGD 9/20	03005508	9	20	0,8	2,3	8,4	2,0	25	250	250
AGD 10/20	03007101	10	20	0,8	2,3	8,4	2,0	25	200	200
AGD 11/20	03005510	11	20	0,8	2,3	8,4	2,0	25	100	100
AGD 12/20	03005528	12	20	0,8	2,3	8,4	2,0	25	100	100
AGD 13/20	03005536	13	20	0,8	2,3	8,4	2,0	25	100	100
AGD 14/20	03005544	14	20	0,8	2,3	8,4	2,0	25	100	100
AGD 15/20	03005552	15	20	0,8	2,3	8,4	2,0	25	100	100
AGD 16/20	03005560	16	20	0,8	2,3	8,4	2,0	25	100	100
AGD 17/20	03005562	17	20	0,8	2,3	8,4	2,0	25	100	100
AGD 18/20	03005579	18	20	0,8	2,3	8,4	2,0	25	100	100
AGD 19/20	03005587	19	20	0,8	2,3	8,4	2,0	25	100	100
AGD 20/20	03005595	20	20	0,8	2,3	8,4	2,0	25	100	100
AGD 21/20	03005608	21	20	0,8	2,3	8,4	2,0	25	100	100
AGD 22/20	03005616	22	20	0,8	2,3	8,4	2,0	25	100	100
AGD 23/20	03005624	23	20	0,8	2,3	8,4	2,0	25	100	100
AGD 24/20	03005632	24	20	0,8	2,3	8,4	2,0	25	100	100
AGD 25/20	03005640	25	20	0,8	2,3	8,4	2,0	25	100	100
AGD 26/20	03005659	26	20	1,0	2,5	8,4	2,0	25	100	100
AGD 27/20	03005667	27	20	1,0	2,5	8,4	2,0	25	100	100
AGD 28/20	03005675	28	20	1,0	2,5	8,4	2,0	25	100	100
AGD 29/20	03005683	29	20	1,0	2,5	8,4	2,0	25	100	100
AGD 30/20	03005691	30	20	1,0	2,5	8,4	2,0	25	50	50
AGD 31/20	03005704	31	20	1,0	2,5	8,4	2,0	25	50	50
AGD 32/20	03005712	32	20	1,0	2,5	8,4	2,0	25	50	50
AGD 33/20	03005720	33	20	1,0	2,5	8,4	2,0	25	50	50
AGD 34/20	03005739	34	20	1,0	2,5	8,4	2,0	25	50	50
AGD 35/20	03005747	35	20	1,0	2,5	8,4	2,0	25	50	50
AGD 36/20	03005755	36	20	0,8	2,5	8,4	2,0	25	50	50
AGD 37/20	03005763	37	20	1,0	2,5	8,4	2,0	25	50	50
AGD 38/20	03005771	38	20	1,0	2,5	8,4	2,0	25	50	50
AGD 39/20	03005780	39	20	1,0	2,5	8,4	2,0	25	50	50
AGD 40/20	03005798	40	20	1,0	2,5	8,4	2,0	25	50	50
AGD 41/20	03005800	41	20	1,0	2,5	8,4	2,0	25	50	50
AGD 42/20	03005819	42	20	1,0	2,5	8,4	2,0	25	50	50
AGD 43/20	03005827	43	20	1,0	2,5	8,4	2,0	25	50	50


MIKALOR

OTHER MODELS CAN BE MANUFACTURED ACCORDING TO SHAPE:


Form A - **APA**



Form B - **APB**




Form C - **APC**




Without EPDM rubber sheath

Form E- **AGE**



Form F- **AGF**



EPDM rubber sheath

20 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGD 44/20	03005835	44	20	1,0	2,5	8,4	2,0	25	50	50
AGD 45/20	03005843	45	20	1,0	2,5	8,4	2,0	25	50	50
AGD 46/20	03005851	46	20	1,0	2,5	8,4	2,0	25	50	50
AGD 47/20	03005860	47	20	1,0	2,5	8,4	2,0	25	50	50
AGD 48/20	03005878	48	20	1,0	2,5	8,4	2,0	25	50	50
AGD 49/20	03005886	49	20	1,0	2,5	8,4	2,0	25	50	50
AGD 50/20	03005894	50	20	0,8	2,3	8,4	2,0	25	50	50
AGD 51/20	03005907	51	20	0,8	2,3	8,4	2,0	25	50	50
AGD 52/20	03005915	52	20	0,8	2,3	8,4	2,0	25	50	50
AGD 53/20	03005923	53	20	0,8	2,3	8,4	2,0	25	25	25
AGD 54/20	03005931	54	20	0,8	2,3	8,4	2,0	25	50	50
AGD 55/20	03005940	55	20	0,8	2,3	8,4	2,0	25	50	50
AGD 56/20	03005958	56	20	0,8	2,3	8,4	2,0	25	50	50
AGD 57/20	03005966	57	20	0,8	2,3	8,4	2,0	25	50	50
AGD 58/20	03005974	58	20	0,8	2,3	8,4	2,0	25	50	50
AGD 59/20	03005982	59	20	0,8	2,3	8,4	2,0	25	25	25
AGD 60/20	03005990	60	20	0,8	2,3	8,4	2,0	25	50	50
AGD 61/20	03006002	61	20	0,8	2,3	8,4	2,0	25	50	50
AGD 62/20	03006010	62	20	0,8	2,3	8,4	2,0	25	25	25
AGD 63/20	03006029	63	20	0,8	2,3	8,4	2,0	25	50	50
AGD 64/20	03006037	64	20	0,8	2,3	8,4	2,0	25	50	50
AGD 65/20	03006045	65	20	0,8	2,3	8,4	2,0	25	50	50
AGD 66/20	03006053	66	20	0,8	2,3	8,4	2,0	25	25	25
AGD 67/20	03006061	67	20	0,8	2,3	8,4	2,0	25	25	25
AGD 68/20	03006070	68	20	1,0	2,5	8,4	2,0	25	50	50
AGD 69/20	03006088	69	20	1,0	2,5	8,4	2,0	25	25	25
AGD 70/20	03006096	70	20	1,0	2,5	8,4	2,0	25	50	50
AGD 71/20	03006109	71	20	0,8	2,5	8,4	2,0	25	25	25
AGD 72/20	03006117	72	20	1,0	2,5	8,4	2,0	25	25	25
AGD 73/20	03006125	73	20	1,0	2,5	8,4	2,0	25	25	25
AGD 74/20	03006133	74	20	1,0	2,5	8,4	2,0	25	25	25
AGD 75/20	03006141	75	20	1,0	2,5	8,4	2,0	25	25	25
AGD 76/20	03006150	76	20	1,0	2,5	8,4	2,0	25	25	25
AGD 77/20	03006168	77	20	1,0	2,5	8,4	2,0	25	25	25
AGD 78/20	03006176	78	20	1,0	2,5	8,4	2,0	25	25	25
AGD 79/20	03006184	79	20	1,0	2,5	8,4	2,0	25	25	25

MIKALOR




W1

P-Clip W1 - Form D DIN 3016


DIN 3016 Rubber lined P-Clips are manufactured from steel strips lined with EPDM rubber. This rubber liner ensures a safe tight-fitting assembly, protects the application area and prevent possible damage caused by vibration. The screw holes are reinforced with metal plates to guarantee a solid grip. P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.


20 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGD 80/20	03006192	80	20	1,0	2,5	8,4	2,0	25	25	25
AGD 81/20	03006205	81	20	1,0	2,5	8,4	2,0	25	25	25
AGD 82/20	03006213	82	20	1,0	2,5	8,4	2,0	25	25	25
AGD 83/20	03006221	83	20	1,0	2,5	8,4	2,0	25	25	25
AGD 84/20	03006230	84	20	1,0	2,5	8,4	2,0	25	25	25
AGD 85/20	03006248	85	20	1,0	2,5	8,4	2,0	25	25	25
AGD 86/20	03006256	86	20	1,0	2,5	8,4	2,0	25	25	25
AGD 87/20	03006264	87	20	1,0	2,5	8,4	2,0	25	25	25
AGD 88/20	03006272	88	20	1,0	2,5	8,4	2,0	25	25	25
AGD 89/20	03006280	89	20	1,0	2,5	8,4	2,0	25	25	25
AGD 90/20	03006299	90	20	1,0	2,5	8,4	2,0	25	25	25
AGD 110/20	03007163	110	20	1,0	2,5	8,4	2,0	25	20	20



TECHNICAL INFORMATION	
MATERIAL	Steel W1 DIN 1.0330 or DIN 1.0529
FINISH	Galvanized / Black EPDM Rubber
CORROSION RESISTANCE	144 hours salt spray (ASTM B-117)






Available Through BORSERINI SRL
Via C. Negri 10-12 - 23030 Chiuro (SO) - Italy | +39 0342 209200 | info@borserini.it | www.borserini.com
Registered Office: Via Parolo 38 - 23100 Sondrio (SO) - Italy


MIKALOR

OTHER MODELS CAN BE MANUFACTURED ACCORDING TO SHAPE:


Form A - **APA**



Form B - **APB**




Form C - **APC**




Without EPDM rubber sheath

Form E- **AGE**



Form F- **AGF**



EPDM rubber sheath

25 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGD 10/25	03006300	10	25	1,0	2,5	10,5	3,0	31	100	100
AGD 11/25	03006301	11	25	1,0	2,5	10,5	3,0	31	100	100
AGD 12/25	03006310	12	25	1,0	2,5	10,5	3,0	31	100	100
AGD 13/25	03006328	13	25	1,0	2,5	10,5	3,0	31	100	100
AGD 14/25	03006336	14	25	1,0	2,5	10,5	3,0	31	100	100
AGD 15/25	03006344	15	25	1,0	2,5	10,5	3,0	31	100	100
AGD 16/25	03006352	16	25	1,0	2,5	10,5	3,0	31	100	100
AGD 17/25	03006360	17	25	1,0	2,5	10,5	3,0	31	100	100
AGD 18/25	03006379	18	25	1,0	2,5	10,5	3,0	31	100	100
AGD 19/25	03006387	19	25	1,0	2,5	10,5	3,0	31	100	100
AGD 20/25	03006395	20	25	1,0	2,5	10,5	3,0	31	100	100
AGD 21/25	03006408	21	25	1,0	2,5	10,5	3,0	31	50	50
AGD 22/25	03006416	22	25	1,0	2,5	10,5	3,0	31	50	50
AGD 23/25	03006424	23	25	1,0	2,5	10,5	3,0	31	50	50
AGD 24/25	03006432	24	25	1,0	2,5	10,5	3,0	31	50	50
AGD 25/25	03006440	25	25	1,0	2,5	10,5	3,0	31	50	50
AGD 26/25	03006459	26	25	1,0	2,5	10,5	3,0	31	50	50
AGD 27/25	03006467	27	25	1,0	2,5	10,5	3,0	31	50	50
AGD 28/25	03006475	28	25	1,0	2,5	10,5	3,0	31	50	50
AGD 29/25	03006483	29	25	1,0	2,5	10,5	3,0	31	50	50
AGD 30/25	03006491	30	25	1,0	2,5	10,5	3,0	31	50	50
AGD 31/25	03006504	31	25	1,0	2,5	10,5	3,0	31	50	50
AGD 32/25	03006512	32	25	1,0	2,5	10,5	3,0	31	50	50
AGD 33/25	03006520	33	25	1,0	2,5	10,5	3,0	31	50	50
AGD 34/25	03006539	34	25	1,0	2,5	10,5	3,0	31	50	50
AGD 35/25	03006547	35	25	1,0	2,5	10,5	3,0	31	50	50
AGD 36/25	03006555	36	25	1,0	2,5	10,5	3,0	31	50	50
AGD 37/25	03006563	37	25	1,0	2,5	10,5	3,0	31	50	50
AGD 38/25	03006571	38	25	1,0	2,5	10,5	3,0	31	50	50
AGD 39/25	03006580	39	25	1,0	2,5	10,5	3,0	31	50	50
AGD 40/25	03006598	40	25	1,0	2,5	10,5	3,0	31	50	50
AGD 41/25	03006600	41	25	1,0	2,5	10,5	3,0	31	50	50
AGD 42/25	03006619	42	25	1,0	2,5	10,5	3,0	31	50	50
AGD 43/25	03006627	43	25	1,0	2,5	10,5	3,0	31	50	50
AGD 44/25	03006635	44	25	1,0	2,5	10,5	3,0	31	50	50
AGD 45/25	03006643	45	25	1,0	2,5	10,5	3,0	31	25	25

MIKALOR



W1

P-Clip W1 - Form D DIN 3016

DIN 3016 Rubber lined P-Clips are manufactured from steel strips lined with EPDM rubber. This rubber liner ensures a safe tight-fitting assembly, protects the application area and prevent possible damage caused by vibration. The screw holes are reinforced with metal plates to guarantee a solid grip. P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.


25 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGD 46/25	03006651	46	25	1,0	2,5	10,5	3,0	31	25	25
AGD 47/25	03006660	47	25	1,0	2,5	10,5	3,0	31	25	25
AGD 48/25	03006678	48	25	1,00	2,50	10,5	3,0	31	25	25
AGD 49/25	03006686	49	25	1,00	2,50	10,5	3,0	31	25	25
AGD 50/25	03006694	50	25	1,25	2,75	10,5	3,0	31	25	25
AGD 51/25	03006707	51	25	1,25	2,75	10,5	3,0	31	25	25
AGD 52/25	03006715	52	25	1,25	2,75	10,5	3,0	31	25	25
AGD 53/25	03006723	53	25	1,25	2,75	10,5	3,0	31	25	25
AGD 54/25	03006731	54	25	1,25	2,75	10,5	3,0	31	25	25
AGD 55/25	03006740	55	25	1,25	2,75	10,5	3,0	31	25	25
AGD 56/25	03006758	56	25	1,25	2,75	10,5	3,0	31	25	25
AGD 57/25	03006766	57	25	1,25	2,75	10,5	3,0	31	25	25
AGD 58/25	03006774	58	25	1,25	2,75	10,5	3,0	31	25	25
AGD 59/25	03006782	59	25	1,25	2,75	10,5	3,0	31	25	25
AGD 60/25	03006790	60	25	1,25	2,75	10,5	3,0	31	25	25
AGD 61/25	03006803	61	25	1,25	2,75	10,5	3,0	31	25	25
AGD 62/25	03006811	62	25	1,25	2,75	10,5	3,0	31	25	25
AGD 63/25	03006820	63	25	1,25	2,75	10,5	3,0	31	25	25
AGD 64/25	03006838	64	25	1,25	2,75	10,5	3,0	31	25	25
AGD 65/25	03006846	65	25	1,25	2,75	10,5	3,0	31	25	25
AGD 66/25	03006854	66	25	1,25	2,75	10,5	3,0	31	25	25
AGD 67/25	03006862	67	25	1,25	2,75	10,5	3,0	31	25	25
AGD 68/25	03006870	68	25	1,25	2,75	10,5	3,0	31	25	25
AGD 69/25	03006889	69	25	1,25	2,75	10,5	3,0	31	25	25
AGD 70/25	03006897	70	25	1,25	2,75	10,5	3,0	31	25	25
AGD 71/25	03006900	71	25	1,25	2,75	10,5	3,0	31	25	25
AGD 72/25	03006918	72	25	1,25	2,75	10,5	3,0	31	25	25
AGD 73/25	03006926	73	25	1,25	2,75	10,5	3,0	31	25	25
AGD 74/25	03006934	74	25	1,25	2,75	10,5	3,0	31	25	25
AGD 75/25	03006942	75	25	1,25	2,75	10,5	3,0	31	25	25
AGD 76/25	03006950	76	25	1,25	2,75	10,5	3,0	31	25	25
AGD 77/25	03006969	77	25	1,25	2,75	10,5	3,0	31	25	25
AGD 78/25	03006977	78	25	1,25	2,75	10,5	3,0	31	25	25
AGD 79/25	03006985	79	25	1,25	2,75	10,5	3,0	31	25	25
AGD 80/25	03006993	80	25	1,25	2,75	10,5	3,0	31	25	25
AGD 82/25	03007013	82	25	1,25	2,75	10,5	3,0	31	25	25


MIKALOR

OTHER MODELS CAN BE MANUFACTURED ACCORDING TO SHAPE:


Form A - **APA**



Form B - **APB**




Form C - **APC**




Without EPDM rubber sheath

Form E- **AGE**




Form F- **AGF**




EPDM rubber sheath


25 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGD 85/25	03007048	85	25	1,25	2,75	10,5	3,0	31	25	25
AGD 88/25	03007052	88	25	1,25	2,75	10,5	3,0	31	25	25
AGD 90/25	03007099	90	25	1,25	2,75	10,5	3,0	31	25	25
AGD 100/25	03007171	100	25	1,25	2,75	10,5	3,0	31	20	20
AGD 110/25	03007180	110	25	1,25	2,75	10,5	3,0	31	20	20
AGD 120/25	03007110	120	25	1,25	2,75	10,5	3,0	31	25	25
AGD 136/25	03007144	136	25	1,25	2,75	10,5	3,0	31	25	25
AGD 150/25	03007128	150	25	1,25	2,75	10,5	3,0	31	20	20



TECHNICAL INFORMATION	
MATERIAL	Steel W1 DIN 1.0330 or DIN 1.0529
FINISH	Galvanized / Black EPDM Rubber
CORROSION RESISTANCE	144 hours salt spray (ASTM B-117)





Available Through BORSERINI SRL
Via C. Negri 10-12 - 23030 Chiuro (SO) - Italy | +39 0342 209200 | info@borserini.it | www.borserini.com
Registered Office: Via Parolo 38 - 23100 Sondrio (SO) - Italy