MIKALOR



W4

P-Clip W4 Stainless steel - Form D DIN 3016

DIN 3016 Rubber lined P-Clips are manufactured from steel strips lined with EPDM rubber. This rubber liner ensures a safe tight-fitting assembly, protects the application area and prevent possible damage caused by vibration. The screw holes are reinforced with metal plates to guarantee a solid grip. P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.

12 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGID5/12	43003859	5	12	0,5	1,5	5,3	1,2	15	500	2.000
AGID6/12	43003867	6	12	0,5	1,5	5,3	1,2	15	500	500
AGID7/12	43003875	7	12	0,5	1,5	5,3	1,2	15	500	500
AGID8/12	43003883	8	12	0,5	1,5	5,3	1,2	15	500	500
AGID9/12	43003891	9	12	0,5	1,5	5,3	1,2	15	500	500
AGID10/12	43003904	10	12	0,5	1,5	5,3	1,2	15	500	500
AGID11/12	43003911	11	12	0,5	1,5	5,3	1,2	15	500	500
AGID12/12	43003920	12	12	0,5	1,5	5,3	1,2	15	500	500
AGID13/12	43003939	13	12	0,5	1,5	5,3	1,2	15	500	500
AGID14/12	43003947	14	12	0,5	1,5	5,3	1,2	15	500	500
AGID15/12	43003955	15	12	0,5	1,5	5,3	1,2	15	500	500
AGID16/12	43003963	16	12	0,5	1,5	5,3	1,2	15	200	800
AGID17/12	43003971	17	12	0,5	1,5	5,3	1,2	15	200	800
AGID18/12	43003980	18	12	0,5	1,5	5,3	1,2	15	200	200
AGID19/12	43003998	19	12	0,5	1,5	5,3	1,2	15	200	800
AGID20/12	43004000	20	12	0,5	1,5	5,3	1,2	15	200	800
AGID21/12	43004018	21	12	0,5	1,5	5,3	1,2	15	100	400
AGID22/12	43004026	22	12	0,5	1,5	5,3	1,2	15	100	400
AGID23/12	43004034	23	12	0,5	1,5	5,3	1,2	15	100	400
AGID24/12	43004042	24	12	0,5	1,5	5,3	1,2	15	100	400
AGID25/12	43004050	25	12	0,5	1,5	5,3	1,2	15	100	400
AGID26/12	43004069	26	12	0,5	1,5	5,3	1,2	15	100	400
AGID27/12	43004077	27	12	0,5	1,5	5,3	1,2	15	100	400
AGID28/12	43004085	28	12	0,5	1,5	5,3	1,2	15	100	400
AGID30/12	43004100	30	12	0,5	1,5	5,3	1,2	15	100	100
AGID35/12	43004155	35	12	0,5	1,5	5,3	1,2	15	100	100
AGID40/12	43004200	40	12	0,5	1,5	5,3	1,2	15	100	100
AGID47/12	43004276	47	12	0,5	1,5	5,3	1,2	15	50	50

MIKALOR

OTHER MODELS CAN BE MANUFACTURED ACCORDING TO SHAPE:

Form A - **APA**



Form B - **APB**




Form C - **APC**




Without EPDM rubber sheath

Form E- **AGE**



Form F- **AGF**



EPDM rubber sheath

15 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGID5/15	43004659	5	15	0,6	1,6	6,4	1,5	19	500	500
AGID6/15	43004667	6	15	0,6	1,6	6,4	1,5	19	500	500
AGID8/15	43004683	8	15	0,6	1,6	6,4	1,5	19	500	500
AGID9/15	43004696	9	15	0,6	1,6	6,4	1,5	19	500	500
AGID10/15	43004704	10	15	0,6	1,6	6,4	1,5	19	500	500
AGID 11/15	43004712	11	15	0,6	1,6	6,4	1,5	19	200	1.600
AGID12/15	43004720	12	15	0,6	1,6	6,4	1,5	19	200	200
AGID13/15	43004739	13	15	0,6	1,6	6,4	1,5	19	200	200
AGID14/15	43004747	14	15	0,6	1,6	6,4	1,5	19	200	200
AGID15/15	43004755	15	15	0,6	1,8	6,4	1,5	19	200	200
AGID16/15	43004763	16	15	0,6	1,8	6,4	1,5	19	200	200
AGID17/15	43004771	17	15	0,6	1,8	6,4	1,5	19	200	200
AGID18/15	43004780	18	15	0,6	1,8	6,4	1,5	19	200	200
AGID19/15	43004798	19	15	0,6	1,8	6,4	1,5	19	200	200
AGID20/15	43004800	20	15	0,6	1,8	6,4	1,5	19	200	200
AGID21/15	43004819	21	15	0,6	1,8	6,4	1,5	19	200	200
AGID22/15	43004827	22	15	0,6	1,8	6,4	1,5	19	200	200
AGID23/15	43004835	23	15	0,6	1,8	6,4	1,5	19	100	100
AGID25/15	43004851	25	15	0,6	1,8	6,4	1,5	19	100	100
AGID26/15	43004860	26	15	0,6	1,8	6,4	1,5	19	100	100
AGID27/15	43004878	27	15	0,6	1,8	6,4	1,5	19	100	100
AGID28/15	43004886	28	15	0,6	1,8	6,4	1,5	19	100	100
AGID30/15	43004907	30	15	0,6	1,8	6,4	1,5	19	100	100
AGID32/15	43004923	32	15	0,6	1,8	6,4	1,5	19	100	100
AGID33/15	43004931	33	15	0,6	1,8	6,4	1,5	19	100	100
AGID34/15	43004940	34	15	0,6	1,8	6,4	1,5	19	100	100
AGID35/15	43004958	35	15	0,6	1,8	6,4	1,5	19	100	100
AGID36/15	43004966	36	15	0,6	1,8	6,4	1,5	19	100	100
AGID37/15	43004974	37	15	0,6	1,8	6,4	1,5	19	100	100
AGID38/15	43004982	38	15	0,6	1,8	6,4	1,5	19	100	100
AGID40/15	43005002	40	15	0,6	1,8	6,4	1,5	19	100	100
AGID45/15	43005053	45	15	0,6	1,8	6,4	1,5	19	50	400
AGID46/15	43005064	46	15	0,6	1,8	6,4	1,5	19	50	50
AGID50/15	43005109	50	15	0,6	1,8	6,4	1,5	19	50	50
AGID54/15	43005141	54	15	0,6	1,8	6,4	1,5	19	50	50
AGID60/15	43005205	60	15	0,6	1,8	6,4	1,5	19	50	50

MIKALOR




W4

P-Clip W4 Stainless steel - Form D DIN 3016


DIN 3016 Rubber lined P-Clips are manufactured from steel strips lined with EPDM rubber. This rubber liner ensures a safe tight-fitting assembly, protects the application area and prevent possible damage caused by vibration. The screw holes are reinforced with metal plates to guarantee a solid grip. P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.


15 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGID63/15	43005230	63	15	0,6	1,8	6,4	1,5	19	50	50
AGID75/15	43005352	75	15	0,6	1,8	6,4	1,5	19	20	80



TECHNICAL INFORMATION	
MATERIAL	Stainless Steel W4 AISI 304
FINISH	Black EPDM Rubber
CORROSION RESISTANCE	240 hours salt spray (ASTM B-117)





Available Through BORSERINI SRL
Via C. Negri 10-12 - 23030 Chiuro (SO) - Italy | +39 0342 209200 | info@borserini.it | www.borserini.com
Registered Office: Via Parolo 38 - 23100 Sondrio (SO) - Italy

MIKALOR

OTHER MODELS CAN BE MANUFACTURED ACCORDING TO SHAPE:

Form A - **APA**



Form B - **APB**




Form C - **APC**




Without EPDM rubber sheath

Form E- **AGE**



Form F- **AGF**



EPDM rubber sheath

20 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGID8/20	43005506	8	20	0,8	2,3	8,4	2,0	25	250	250
AGID10/20	43005509	10	20	0,8	2,3	8,4	2,0	25	200	200
AGID11/20	43005512	11	20	0,8	2,3	8,4	2,0	25	200	200
AGID12/20	43005520	12	20	0,8	2,3	8,4	2,0	25	200	200
AGID13/20	43005539	13	20	0,8	2,3	8,4	2,0	25	200	200
AGID14/20	43005547	14	20	0,8	2,3	8,4	2,0	25	200	200
AGID15/20	43005555	15	20	0,8	2,3	8,4	2,0	25	200	200
AGID16/20	43005563	16	20	0,8	2,3	8,4	2,0	25	100	100
AGID18/20	43005571	18	20	0,8	2,3	8,4	2,0	25	100	100
AGID19/20	43005580	19	20	0,8	2,3	8,4	2,0	25	100	100
AGID20/20	43005598	20	20	0,8	2,3	8,4	2,0	25	100	100
AGID21/20	43005600	21	20	0,8	2,3	8,4	2,0	25	100	100
AGID22/20	43005619	22	20	0,8	2,3	8,4	2,0	25	100	100
AGID23/20	43005627	23	20	0,8	2,3	8,4	2,0	25	50	50
AGID24/20	43005635	24	20	0,8	2,3	8,4	2,0	25	100	100
AGIG25/20	43005643	25	20	0,8	2,3	8,4	2,0	25	100	100
AGIG26/20	43005652	26	20	0,8	2,5	8,4	2,0	25	100	100
AGID27/20	43005661	27	20	0,8	2,5	8,4	2,0	25	100	100
AGID28/20	43005670	28	20	0,8	2,5	8,4	2,0	25	100	100
AGID 29/20	43005688	29	20	0,8	2,5	8,4	2,0	25	100	100
AGID30/20	43005696	30	20	0,8	2,5	8,4	2,0	25	50	50
AGID32/20	43005715	32	20	0,8	2,5	8,4	2,0	25	50	50
AGID34/20	43005731	34	20	0,8	2,5	8,4	2,0	25	50	50
AGID35/20	43005740	35	20	0,8	2,5	8,4	2,0	25	50	50
AGID36/20	43005758	36	20	0,8	2,5	8,4	2,0	25	50	50
AGID38/20	43005774	38	20	0,8	2,5	8,4	2,0	25	50	50
AGID40/20	43005790	40	20	0,8	2,5	8,4	2,0	25	50	50
AGID42/20	43005811	42	20	0,8	2,5	8,4	2,0	25	50	50
AGID44/20	43005833	44	20	0,8	2,5	8,4	2,0	25	50	50
AGID45/20	43005844	45	20	0,8	2,5	8,4	2,0	25	50	50
AGID48/20	43005877	48	20	0,8	2,5	8,4	2,0	25	50	50
AGID50/20	43005899	50	20	0,8	2,5	8,4	2,0	25	50	50
AGID52/20	43005911	52	20	0,8	2,5	8,4	2,0	25	50	50
AGID54/20	43005933	54	20	0,8	2,5	8,4	2,0	25	50	50
AGID60/20	43005944	60	20	0,8	2,5	8,4	2,0	25	50	50
AGID63/20	43006022	63	20	0,8	2,5	8,4	2,0	25	50	50

MIKALOR




W4

P-Clip W4 Stainless steel - Form D DIN 3016


DIN 3016 Rubber lined P-Clips are manufactured from steel strips lined with EPDM rubber. This rubber liner ensures a safe tight-fitting assembly, protects the application area and prevent possible damage caused by vibration. The screw holes are reinforced with metal plates to guarantee a solid grip. P-Clips are recommended for fastening pipes, hoses and conduits in many different applications.


20 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGID66/20	43006054	66	20	0,8	2,5	8,4	2,0	25	50	50
AGID70/20	43006099	70	20	0,8	2,5	8,4	2,0	25	25	25
AGID73/20	43006131	73	20	0,8	2,5	8,4	2,0	25	25	200
AGID77/20	43006160	77	20	0,8	2,5	8,4	2,0	25	25	25
AGID90/20	43006290	90	20	0,8	2,5	8,4	2,0	25	25	25
AGID98/20	43006299	98	20	0,8	2,5	8,4	2,0	25	100	100



TECHNICAL INFORMATION	
MATERIAL	Stainless Steel W4 AISI 304
FINISH	Black EPDM Rubber
CORROSION RESISTANCE	240 hours salt spray (ASTM B-117)





Available Through BORSERINI SRL
Via C. Negri 10-12 - 23030 Chiuro (SO) - Italy | +39 0342 209200 | info@borserini.it | www.borserini.com
Registered Office: Via Parolo 38 - 23100 Sondrio (SO) - Italy

MIKALOR

OTHER MODELS CAN BE MANUFACTURED ACCORDING TO SHAPE:

Form A - **APA**



Form B - **APB**




Form C - **APC**




Without EPDM rubber sheath

Form E- **AGE**



Form F- **AGF**



EPDM rubber sheath

25 mm Band

Denomination	Part Number	Ø d1	b1 ±0.3	S1 +0.2 -0.1	S2 +0.2 -0.1	Ø dn +0.22 -0	S3 ±0.35	b2 ±1	Box Quantity	Outer Box Quantity
AGID8/25	43006308	8	25	1,0	2,5	10,5	3,0	31	100	100
AGID10/25	43006300	10	25	1,0	2,5	10,5	3,0	31	100	100
AGID12/25	43006331	12	25	1,0	2,5	10,5	3,0	31	100	100
AGID14/25	43006333	14	25	1,0	2,5	10,5	3,0	31	100	100
AGID18/25	43006377	18	25	1,0	2,5	10,5	3,0	31	100	100
AGID20/25	43006395	20	25	1,0	2,5	10,5	3,0	31	100	100
AGID28/25	43006477	28	25	1,0	2,5	10,5	3,0	31	50	50
AGID35/25	43006544	35	25	1,0	2,5	10,5	3,0	31	50	50
AGID46/25	43006672	46	25	1,0	2,5	10,5	3,0	31	25	25
AGID50/25	43006716	50	25	1,0	2,5	10,5	3,0	31	25	25
AGID60/25	43006791	60	25	1,0	2,5	10,5	3,0	31	25	25
AGID70/25	43006891	70	25	1,0	2,5	10,5	3,0	31	25	25