Flexible Hoses and Hose Assemblies for the Floor Care Business































Standard-Hose Type: K1H-PU

A highly flexible hose, made of Polyurethane which is typically used for applications with a high mechanical bending stress, like for the suction hose of the squeegee (also as stretch version available, Type KD)

Standard-Hose Type: K2-L-PVC

A robust and double walled but flexible hose, made of PVC which is typically used for the refilling of fresh water tank or emptying the waste water tank




Standard-Hose Type: K1H-PVC

A flexible hose, made of PVC which is used for the transportation of liquids and/or air inside of the machine, without any extreme bending and mechanical stress (also as stretch version available, Type KD)

Standard-Hose Type: VSM-SO1

A flexible profile hose made of EVA which is used for semi-professional applications in the "low-budget-segment"



VACUFLEX GmbH, Hessenring 8-12, D-64546 Mörfelden, Germany Tel. +49(0)6105-9339-0 Fax: +49(0)6105-9339-60







Standard-Cuffs

Standard cuffs – which are available in all typical diameters – are directly over-moulded to guarantee a 100% liquid tightness. They are easy to assemble.





Water Draining Systems with Flow Control

A great variety of water draining systems with flow control is available and can be customised to the requirements of our customers.

Special customised cuffs

According to the customer's requirements special, directly over-moulded cuffs can be designed and produced.



Some Reference Customers






















VACUFLEX Graphs



VACUFLEX GmbH is an independent member of the Schauenburg Hose Technology Group and a specialist in producing and designing advanced hoses and hose assemblies, made of thermoplastic materials.

Highly flexible and reinforced plastic hoses from 8 - 500mm have been produced for the last five decades. We offer the complete solution for your hose and coupling requirements for all fields of application:

- Ÿ Automotive
- Ÿ Domestic Appliances
- Y Air Conditioning Appliances
- Y Machinery and Equipment
- ÿ Medical
- Ÿ Sanitary

A diversified product range – including specific customer developments – is available in a wide variety of materials and colors.

Loose couplings and molded-on end fittings are available and can be specifically designed to customer requirements.

Development, production and final products are subject to strict quality assurance standards like:

- ÿ pre-production test series
- Y control checks during manufacturing process and
- Ÿ final test and control procedures, i.e. acc. to DIN, VACUFLEX and customers' standards.

Through many years of experience and with our continued commitment to research and development we have become the "partner" of many major companies in an ever discerning market.

VACUFLEX GRADH

Hessenring 8-12 D-64546 Mörfelden Germany

Tel.: +49 (0) 6105 / 9339-0 Fax: +49 (0) 6105 / 9339-60

info@vacuflex.de www.vacuflex.de



